REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden. to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson collection of information, including suggestions for reducing this burden. To Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson collection of information, including suggestions for reducing this burden. To Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson collection of information of the Collection of Information of the Collection of Information Operations and Reports, 1215 Jefferson collection of Information Operations and Reports and Information Operations and Reports and Information Operation Oper

Davis Highway, Suite 1204, Arlington, VA 22202-4302 1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AN	D DATES COVERED	
Addition of the desire states	08/00/85			
. TITLE AND SUBTITLE	T TOTULO		5. FUNDING NUM	BERS
RMA WATER LEVEL STATISTICS AND PL	OTS			
. AUTHOR(S)				
PANTLEO, J.; CLARK, J.; REYNOLDS,	D.			
. PERFORMING ORGANIZATION NAME	(S) AND ADDRESS(ES)		8. PERFORMING O	
		•	WEI OIL HOUSE	
D.P. ASSOCIATES				
COMMERCE CITY, CO			85303R01	
9. SPONSORING/MONITORING AGENC	Y NAME(S) AND ADDRESS(ES)	10. SPONSORING / AGENCY REPO	
•			AGENCI KEI O	KI HOWIDEK
ROCKY MOUNTAIN ARSENAL (CO.)				
COMMERCE CITY, CO				
1. SUPPLEMENTARY NOTES				
	ı	•		
12a. DISTRIBUTION/AVAILABILITY STA	TEMENT		12b. DISTRIBUTIO	N CODE
IZA. DISTRIBUTION/ AVAILABILITY STA	1 CIVICIA I			
		,		
APPROVED FOR PUBLIC RELEA	ASE; DISTRIBUTION	IS UNLIMITED		
13. ABSTRACT (Maximum 200 words)				·
13. ABSTRACT (Maximum 200 words)				
THIS REPORT PROVIDES FOUR				
SAMPLED ON THE ROCKY MOUNTED THE INFORMATION IN				
1985. THE INFORMATION IN LEVEL STATISTICS, 3) WATH				EL DATA
SORTED BY SAMPLE DATE. Y	OLUME I CONTAINS	INFORMATION ON SE	ECTIONS 1-9,	11-12,
19-20 AND 22-23. VOLUME	II CONTAINS INFO	RMATION ON SECTION	IS 24-29. VO	LUME III
CONTAINS INFORMATION ON SECTIONS 1-4, 28, 33-34		OLUME IV CONTAINS	S INFORMATION	ON
SECTIONS 1 4, 20, 33 34 2	11D 50.			
19960124 0;	70			
13300174 1).	/ ٦			
· OIL I VI	· V		15. NUN	BER OF PAGES

WATER ELEVATION

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT

SECURITY CLASSIFICATION OF THIS PAGE

19. SECURITY CLASSIFICATION OF ABSTRACT

20. LIMITATION OF ABSTRACT

UNCLASSIFIED NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. 239-18 298-102

RMA WATER LEVEL STATISTICS AND PLOTS

VOLUME IV

(SHELL CHEMICAL COMPANY WELLS)

SECTIONS 1-4, 28, 33-34 AND 36

AUGUST 1985

Distribution Callegard

FILE COPY

Rocky Mountain Arsenal Information Center Commerce City, Colorado

d.p. associates, inc.

THE ROCKY MOUNTAIN ARSENAL INFORMATION CENTER

c/o ROCKY MOUNTAIN ARSENAL

RIC/BUILDING 111/ROOM 216

COMMERCE CITY, COLORADO 80022

(303) 289-0172 AUTOVON 556-2172 FTS 330-1172

WELL 01525

WELL INFOMATION


EAST COORDINATE: 2184853 NORTH COORDINATE: 180326

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5265.20 TOP OF SCREEN ELEVATION: 5251.20 BOTTOM OF SCREEN ELEVATION: 5241.20

TIME SPAN: Sep-79 THROUGH Jul-81

	MEAN	SAMPLE	STD DEV.	99% CONFIDENCE	MEAN
QTR	DEPTH (FT)	SIZE	DEPTH	INTERVAL DEPTH	ELEV.
				~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
1	9.48	2	0.43	-9.93 - 28.90	5255.72
2	8.89	2	0.45	-11.15 - 28.94	5256.31
3	8.94	3	0.05	8.68 - 9.20	5256.26
4	9.35	2	0.08	5.83 - 12.86	5255.86
COMB	9.14	9	0.35	8.75 - 9.53	5256.06



SAMPLE DATE (YEAR AND QUARTER)

WELL: 01525

BEDROCK DEPTH: 20.00 BEDROCK ELEV: 5245.20

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
09/13/79	3	SC	8.89	5256.31	11.11	
12/13/79	4	SC	9.29	5255.91	10.71	
02/26/80	1	SC	9.18	5256.02	10.82	
05/19/80	2	SC	8.58	5256.62	11.42	
08/14/80	3	SC	8. 78	5256.22	11.02	
10/07/80	4	SC	9.40	5255.80	10.60	
01/14/81	1	SC	9. 79	5255.41	10.21	
04/23/81	2	SC	9.21	5255.99	10.79	
07/29/81	3	SC	8.95	5256.25	11.05	

WELL 02562

WELL INFOMATION .


EAST COORDINATE: 2183380 NORTH COORDINATE: 177864

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5254.24 TOP OF SCREEN ELEVATION: 5234.24 BOTTOM OF SCREEN ELEVATION: 5224.24

TIME SPAN: Dec-79 THROUGH Jul-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	9.19	2	1.02	-36.64 - 55.02	5245.05
2	6.39	2 '	3.90	-168.98 - 181.75	5247.86
3	9.21	2	0.23	-0.97 - 19.39	5245.03
4	9.80	2	0.68	-20.75 - 40.35	5244.44
COMB	8.65	. 8	2.10	6.05 - 11.24	5245.59



WELL: 02562

BEDROCK DEPTH: 3.00 BEDROCK ELEV: 5251.24

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
12/13/79	4	SC	9.32	5244.92	0.00	
02/26/80	1	SC	8.47	5245.77	0.00	
05/19/80	2	SC	3.63	5250.61	0.00	
08/14/80	3	SC	9.37	5244.87	0.00	
10/07/80	4	SC	10.28	5243.96	0.00	
01/14/81	1	SC	9.91	5244.33	0.00	
04/23/81	2	SC	7.14	5245.10	0.00	
07/29/81	3	SC	9.05	5245.19	0.00	

WELL 02572

WELL INFOMATION


EAST COORDINATE: 2183356 NORTH COORDINATE: 178425

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5256.93 TOP OF SCREEN ELEVATION: 5238.93 BOTTOM OF SCREEN ELEVATION: 5228.93

TIME SPAN: Aug-80 THROUGH Jul-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	0.79	1	ERR	ERR - ERR	5256.14
2	-0.50	1	ERR	ERR - ERR	5257.43
3	-0.27	2	1.66	-75.07 - 74.54	5257.20
4	1.30	1	ERR	ERR - ERR	5255.63
COMB	0.21	5	1.14	-2.15 - 2.57	5256.72



WELL: 02572

BEDROCK DEPTH: 11.00 BEDROCK ELEV: 5245.93

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
08/14/80	3	SC	0.91	5256.02	10.09	
10/07/80	4	SC	1.30	5255.63	9.70	
01/14/81	1	SC	0.79	5256.14	10.21	
04/23/81	2	SC	-0.50	5257.43	11.50	
07/29/81	,3	SC	-1.44	5258.37	12.44	

WELL 02573

WELL INFOMATION


EAST COORDINATE: 2183172 NORTH COORDINATE: 178222

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5253.21 TOP OF SCREEN ELEVATION: 5235.21 BOTTOM OF SCREEN ELEVATION: 5225.21

TIME SPAN: Aug-80 THROUGH Aug-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	-0.56	1	ERR	ERR - ERR	5253.77
2	-1.50	1	ERR	ERR - ERR	5254.71
3	1.72	3	4.67	-25.05 - 28.49	5251.49
4	0.22	1	ERR	ERR - ERR	5252.99
COMB	0.55	6	3.27	-4.82 - 5.93	5252.66



WELL: 02573

BEDROCK DEPTH: 10.00 BEDROCK ELEV: 5243.21

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
08/14/80	3	SC	0.25	5252.96	9.75	
10/07/80	4	SC	0.22	5252.99	9.78	
01/14/81	1	SC	-0.56	5253.77	10.56	
04/23/81	2	SC	-1.50	5254.71	11.50	
07/29/81	3	SC	-2.04	5255.25	12.04	
08/23/81	3	RM	6. 9 5	5246.26	3.05	

WELL 02574

WELL INFOMATION


EAST COORDINATE: 2182844 NORTH COORDINATE: 178119

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5250.68 TOP OF SCREEN ELEVATION: 5232.68 BOTTOM OF SCREEN ELEVATION: 5222.68

TIME SPAN: Aug-80 THROUGH Jul-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	-0.87	1	ERR	ERR - ERR	5251.55
2	-1.46	1	ERR	ERR - ERR	5252.14
3	-1.03	2	1.36	-62.14 - 60.08	5251.71
4	-0.14	1	ERR	ERR - ERR	5250.82
COMB	-0.91	5	0.83	-2.62 - 0.81	5251.59



WELL: 02574

BEDROCK DEPTH: 14.00 BEDROCK ELEV: 5236.68

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
08/14/80 10/07/80 01/14/81	3 ・4 1	SC SC	-0.07 -0.14 -0.87	5250.75 5250.82 5251.55	14.07 14.14	
04/23/81 07/29/81	2	SC SC	-1.46 -1.99	5252.14 5252.67	14.87 15.46 15.99	

WELL 02575

WELL INFOMATION


EAST COORDINATE: 2182925 NORTH COORDINATE: 177620

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5256.79 TOP OF SCREEN ELEVATION: 5233.79 BOTTOM OF SCREEN ELEVATION: 5223.79

TIME SPAN: Aug-80 THROUGH Jul-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	17.95	1	ERR	ERR - ERR	5238.84
2	17.70	1	ERR	ERR - ERR	5239.09
3	17.78	2	0.30	4.08 - 31.47	5239.02
4	18.66	1	ERR	ERR - ERR	5238.13
COMB	17.97	5	0.42	17.10 - 18.84	5238.82



WELL: 02575

BEDROCK DEPTH: 17.00 BEDROCK ELEV: 5239.79

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
08/14/80	3	SC	17.56	5239.2 3	0.00	
10/07/80	4	SC	18.66	5238.13	0.00	
01/14/81	1	SC	17.95	5238.84	0.00	
04/23/81	2	SC	17.70	5239.09	0.00	
07/29/81	3	SC	17 . 99	5238.80	0.00	

WELL 02576

WELL INFOMATION


EAST COORDINATE: 2182886 NORTH COORDINATE: 177098

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5248.00 TOP OF SCREEN ELEVATION: 5224.00 BOTTOM OF SCREEN ELEVATION: 5214.00

TIME SPAN: Aug-80 THROUGH Jul-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	18.22	1	ERR	ERR - ERR	5229.78
2	18.40	1	ERR	ERR - ERR	5229.60
3	18.59	2	0.87	-20.56 - 57.73	5229.42
4	18.40	1	ERR	ERR - ERR	5229.60
COMB	18.44	5	0.46	17.49 - 19.39	5229.56



WELL: 02576

BEDROCK DEPTH: 8.00 BEDROCK ELEV: 5240.00

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
08/14/80	3	SC	17.97	5230.03	0.00	
10/07/80	4	SC .	18.40	5229.60	0.00	
01/14/81	1	SC	18.22	5229.78	0.00	
04/23/81	2	SC	18.40	5229.60	0.00	
07/29/81	3	SC	19.20	5228.80	0.00	

WELL 02577

WELL INFOMATION


EAST COORDINATE: 2182421 NORTH COORDINATE: 177079

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5246.67 TOP OF SCREEN ELEVATION: 5217.67 BOTTOM OF SCREEN ELEVATION: 5207.67

TIME SPAN: Aug-80 THROUGH Sep-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	19.42	5	1.49	16.35 - 22.50	5227.25
2	18.91	3	1.05	12.90 - 24.92	5227.76
3	19.10	6	0.98	17.48 - 20.72	5227.57
4	18.60	3	0.81	13.95 - 23.25	5228.07
COMB	19.07	17	1.08	18.31 - 19.84	5227.60



WELL: 02577

BEDROCK DEPTH: 11.00 BEDROCK ELEV: 5235.67

SAMPLE DATE	QTR	ORG	WATER DEPTH	WATER	SAT	<u> </u>
27116			FROM GRND (ft)	ELEVATION	THICK	REMARKS
08/14/80	3	SC	18.30	5228.37	0.00	
10/07/80	4	SC	18.76	5227.91	0.00	
01/14/81	1	SC	18.48	5228.19	0.00	
04/23/81	2	SC	18.40	5228.27	0.00	
07/29/81	3	SC	19.07	5227.60	0.00	
01/25/82	1	RM	20.84	5225.83	0.00	
09/01/82	3	RM	21.03	5225.64	0.00	
03/08/83	1	RM	20.97	5225.70	0.00	
05/10/83	2	RM	20.12	5226.55	0.00	
08/15/83	3	RM	18.57	5228.10	0.00	
11/07/83	4	RM	19.32	5227.35	0.00	
02/08/84	1	RM	19.30	5227.37	0.00	•
08/21/84	3	RM	18.92	5227.75	0.00	
11/14/84	4	RM	17.72	5228.95	0.00	
03/26/85	1	RM	17.52	5229.15	0.00	
06/27/85	2	RM	18.22	5228.45	0.00	

WELL 02578

WELL INFOMATION


EAST COORDINATE: 2182431 NORTH COORDINATE: 177350

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5246.33 TOP OF SCREEN ELEVATION: 5220.33 BOTTOM OF SCREEN ELEVATION: 5210.33

TIME SPAN: Aug-80 THROUGH Jul-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	18.38	1	ERR	ERR - ERR	5227.95
2	18.35	1	ERR	ERR - ERR	5227.98
3	18.68	2	0.50	-3.91 - 41.28	5227.65
4	19.47	1	ERR	ERR - ERR	5226.86
COMB	18.71	5	0.52	17.65 - 19.78	5227.62



WELL: 02578

BEDROCK DEPTH: 11.00 BEDROCK ELEV: 5235.33

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
08/14/80	3	SC	18.33	5228.00	0.00	
10/07/80	4	SC	19.47	5226.86	0.00	
01/14/81	1	SC	18.38	5227.95	0.00	
04/23/81	2	SC	18.35	5227.98	0.00	
07/29/81	3	SC	19.04	5227.29	0.00	

WELL 02579

WELL INFOMATION

EAST COORDINATE: 2182447 NORTH COORDINATE: 177823


AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5252.64 TOP OF SCREEN ELEVATION: 5225.64 BOTTOM OF SCREEN ELEVATION: 5215.64

TIME SPAN: Aug-80 THROUGH Aug-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
			~~~~~		
1	15.58	. 1	ERR	ERR - ERR	5237.06
2	15.18	1	ERR	ERR - ERR	5237.46
3	15.13	3	0.44	12.59 - 17.67	5237.51
4	16.14	1	ERR	ERR - ERR	5236.50
COMB	15.38	6	0.50	14.56 - 16.20	5237.26

## WATER ELEVATION PLOT



SAMPLE DATE (YEAR AND QUARTER)

WELL: 02579

BEDROCK DEPTH: 22.00 BEDROCK ELEV: 5230.64

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER . ELEVATION	SAT THICK	REMARKS
08/14/80	3	SC	15.34	5237.30	6.66	
10/07/80	4	SC	16.14	5236.50	5.86	
01/14/81	1	SC	15.58	5237.06	6.42	
04/23/81	2	SC	15.18	5237.46	6.82	
07/29/81	3	SC	15.43	5237.21	6.57	
08/23/81	3	RM	14.62	5238.02	7.38	

WELL 02580

WELL INFOMATION


EAST COORDINATE: 2182461 NORTH COORDINATE: 178232

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5251.18
TOP OF SCREEN ELEVATION: 5233.18
BOTTOM OF SCREEN ELEVATION: 5223.18

TIME SPAN: Aug-80 THROUGH Jul-81

	MEAN	SAMPLE	STD DEV.	99% CONFIDENCE	MEAN
QTR	DEPTH (FT)	SIZE	DEPTH	INTERVAL DEPTH	ELEV.
				******	
1	1.16	1	ERR	ERR - ERR	5250.02
2	0.49	1	ERR	ERR - ERR	5250.69
3	1.00	2	0.98	-43.24 - 45.25	5250.18
4	1.62	1	ERR	ERR - ERR	5249.56
COMB	1.06	5	0.64	-0.25 - 2.37	5250.12



WELL: 02580

BEDROCK DEPTH: 15.00 BEDROCK ELEV: 5236.18

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
08/14/80	3	SC	1.70	5249.48	13.30	
10/07/80	4	SC	1.62	5249.56	13.38	
01/14/81	1	SC	1.16	5250.02	13.84	
04/23/81	2	SC	0.49	5250.69	14.51	
07/29/81	3	SC	0.31	5250.87	14.69	

WELL 02581

#### WELL INFOMATION


EAST COORDINATE: 2183181 NORTH COORDINATE: 178522

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5257.34 TOP OF SCREEN ELEVATION: 5239.34 BOTTOM OF SCREEN ELEVATION: 5229.34

TIME SPAN: Aug-80 THROUGH Jul-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	0.35	1	ERR	ERR - ERR	5256.99
2	-1.03	1	ERR	ERR - ERR	5258.37
3	-0.61	2	1.96	-88.78 - 87.55	5257.96
4	0.40	1	ERR	ERR - ERR	5256.94
COMB	-0.30	5	1.17	-2.71 - 2.11	5257.64



WELL: 02581

BEDROCK DEPTH: 9.00 BEDROCK ELEV: 5248.34

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
08/14/80 10/07/80 01/14/81	3 4 1	SC SC	0.77 0.40 0.35	5256.57 5256.94 5256.99	8.23 8.60 8.65	
04/23/81 07/29/81	2 3	SC SC	-1.03 -2.00	<b>5258.</b> 37 <b>5259.</b> 34	10.03 11.00	

WELL 02582

WELL INFOMATION


EAST COORDINATE: 2183370 NORTH COORDINATE: 178138

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5254.39 TOP OF SCREEN ELEVATION: 5236.39 BOTTOM OF SCREEN ELEVATION: 5226.39

TIME SPAN: Aug-80 THROUGH Aug-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	0.02	1	ERR	ERR - ERR	5254.37
2	-1.02	1	ERR	ERR - ERR	5255.41
3	2.07	3	4.74	-25.09 - 29.22	5252.32
4	0.65	1	ERR	ERR - ERR	5253.74
COMB	0.97	6	3.27	-4.41 - 6.36	5253.42



WELL: 02582

BEDROCK DEPTH: 5.00 BEDROCK ELEV: 5249.39

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
08/14/80	3	SC	0.17	5254.22	4.83	
10/07/80	4	SC	0.45	5253.74	4.35	
01/14/81	1	SC	0.02	5254.37	4.98	
04/23/81	2	SC	-1.02	5255.41	6.02	
07/29/81	3	SC	-1.43	5255.82	6.43	
08/23/81	3	RM	7.46	5246.93	0.00	

WELL 02583

#### WELL INFOMATION


EAST COORDINATE: 2183183 NORTH COORDINATE: 177860

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5250.42 TOP OF SCREEN ELEVATION: 5232.42 BOTTOM OF SCREEN ELEVATION: 5222.42

TIME SPAN: Aug-80 THROUGH Sep-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
W 1 1 1	DEFIN (F1)	3126	DEF 1 ft	INTERVAL DEPTH	ELEV.
1	7.36	5	1.84	3.58 - 11.14	5243.06
2	4.90	4	2.37	-2.01 - 11.81	5245.52
3	6.52	5	2.11	2.19 - 10.86	5243.90
4	6.84	3	2.19	-5.69 - 19.37	5243.58
COMB	6.44	17	2.12	4.94 - 7.94	5243.98



WELL: 02583

BEDROCK DEPTH: 5.00 BEDROCK ELEV: 5245.42

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
08/14/80	3	SC	7.90	5242.52	0.00	
10/07/80	4	SC	8.83	5241.59	0.00	
01/14/81	1	SC	8.19	5242.23	0.00	
04/23/81	2	SC	7.51	5242.91	0.00	
07/29/81	3	SC	7.57	5242.85	0.00	
01/25/82	1	RM	8.84	5241.58	0.00	
03/08/83	1	RM	8.79	5241.63		
05/10/83	2	RM	3.00	5247.42	0.00	
08/15/83	3	RM	6.14	5244.28	2.00	
11/07/83	4	RM	7.20	5243.22	0.00	
02/08/84	1	RM	6.3B	<del>-</del>	0.00	
05/09/84	2	RM	2.80	5244.04	0.00	
08/21/84	3	RM	3.00	5247.62	2.20	
11/14/84	4	RM	_ · · · <del>-</del>	5247.42	2.00	
03/26/85	1		4.50	5245.92	0.50	
06/27/85	2	RM	4.60	5245.82	0.40	
VU1 Z1100	4	RM	6.30	5244.12	0.00	

WELL 02584

WELL INFOMATION


EAST COORDINATE: 2183186 NORTH COORDINATE: 177360

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5265.50 TOP OF SCREEN ELEVATION: 5236.50 BOTTOM OF SCREEN ELEVATION: 5226.50

TIME SFAN: Aug-80 THROUGH Aug-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	
1	26.34	1	ERR	ERR - ERF	5239.16
2	26.43	1	ERR	ERR - ERR	5239.07
3	29.53	3	6.45	-7.42 - 66.47	5235.97
4	26.15	1	ERR	ERR - ERR	5239.35
COMB	27.92	6	4.44	20.60 - 35.23	5237.58



WELL: 02584

BEDROCK DEPTH: 19.00 BEDROCK ELEV: 5246.50

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
08/14/80	3	SC	25.07	5240.43	0.00	
10/07/80	4	SC	26.15	5239.35	0.00	
01/14/81	1	SC	26.34	5239.16	0.00	
04/23/81	2	SC	26.43	5239.07	0.00	
07/29/81	3	SC	26.59	5238.91	0.00	
08/26/81	3	RM	36.92	5228.58	0.00	

WELL 02585

## WELL INFOMATION


EAST COORDINATE: 2183409 NORTH COORDINATE: 177110

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5260.38 TOP OF SCREEN ELEVATION: 5229.38 BOTTOM OF SCREEN ELEVATION: 5219.38

TIME SPAN: Aug-80 THROUGH Jul-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	22.79	1	ERR	ERR - ERR	5237.59
2	23.56	1	ERR	ERR - ERR	5236.82
3	22.21	2	2.65	-97.14 - 141.57	5238.17
4	21.26	1	ERR	ERR - ERR	5239.12
COMB	22.41	5	1.57	19.17 - 25.65	5237.97



WELL: 02585

BEDROCK DEPTH: 14.00 BEDROCK ELEV: 5246.38

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
08/14/80	3	SC	20.34	5240.04	0.00	
10/07/80	4	SC	21.26	5239.12	0.00	•
01/14/81	1	SC	22.79	5237.59	0.00	
04/23/81	2	SC	23.56	5236.82	0.00	
07/29/81	3	SC	24.09	5236.29	0.00	

WELL 02594

WELL INFOMATION


EAST COORDINATE: 2182634 NORTH COORDINATE: 180059

AQUIFER TYPE: DEN

SURFACE (MSL) ELEVATION: 5274.05 TOP OF SCREEN ELEVATION: 5247.05 BOTTOM OF SCREEN ELEVATION: 5237.05

TIME SPAN: Aug-80 THROUGH Jul-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	19.22	1 .	ERR	ERR - ERR	5254.83
2	19.92	1	ERR	ERR - ERR	5254.13
3	17.47	2	2.10	-77.06 - 111.99	5256.59
4	16.74	1	ERR	ERR - ERR	5257.31
COMB	18.16	5	1.70	14.65 - 21.67	5255.89



WELL: 02594

BEDROCK DEPTH: 11.00 BEDROCK ELEV: 5263.05

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
08/14/80	3	SC	15.98	5258.07	0.00	
10/07/80	4	SC	16.74	5257.31	0.00	
01/14/81	1	SC	19.22	5254.83	0.00	
04/23/81	2	SC	19.92	5254.13	0.00	
07/29/81	3	SC	18.95	5255.10	0.00	

#### WELL 03516

#### WELL INFOMATION


EAST COORDINATE: 2173532 NORTH COORDINATE: 180486

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5184.90 TOP OF SCREEN ELEVATION: 5131.90 BOTTOM OF SCREEN ELEVATION: 5121.90

TIME SPAN: Jan-81 THROUGH Sep-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	59.02	3	0.36	56.95 - 61.08	5125.88
2	60.04	5	1.65	56.64 - 63.44	5124.86
3	59.60	2	0.28	46.86 - 72.34	5125.30
4	59.39	2	0.33	44.74 - 74.04	5125.51
COMB	59.60	12	1.11	58.61 - 60.60	5125.30



WELL: 03516 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER	SAT	DEMARKS
			FROM GRIAD (4C)	ELEVATION	THICK	REMARKS
01/14/81	1	SC	59.36	5125.54	0.00	
08/24/81	3	RM	59.40	5125.50	0.00	
06/03/82	2	RM	59 <b>.</b> 76	5125.14	0.00	
11/02/83	4	RM	59.62	5125.28	0.00	
02/06/84	1	RM	59.05	5125.85	0.00	
04/03/84	2	RM	58.74	5126.16	0.00	
06/26/84	2	RM	62.92	5121.98	0.00	
10/10/84	4	RM	59.16	5125.74	0.00	
01/07/85	1	RM	58.64	5126.26	0.00	
04/02/85	2	RM	59.30	5125.60	0.00	
06/26/85	. 2	RM	59.50	5125.40	0.00	

WELL 03517

#### WELL INFOMATION


EAST COORDINATE: 2173833 NORTH COORDINATE: 180489

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5179.10 TOP OF SCREEN ELEVATION: 5131.10 BOTTOM OF SCREEN ELEVATION: 5121.10

TIME SPAN: Jan-81 THROUGH Sep-85

	MEAN	SAMPLE	STD DEV.	99% CONFIDENCE	MEAN
QTR	DEPTH (FT)	SIZE	DEPTH	INTERVAL DEPTH	ELEV.
1	53.06	3	0.35	51.08 - 55.04	5126.04
2	53.35	5	0.27	52.80 - 53.90	5125.75
3	53.54	2	0.17	45.90 - 61.18	5125.56
4	53.59	2	0.66	23.67 - 83.51	5125.51
COMB	53.35	12	0.36	53.03 - 53.67	5125.75



WELL: 03517 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
01/14/81	. 1	SC	53.40	5125.70	0.00	
08/24/81	3	RM	53.42	5125.68	0.00	
06/03/82	2	RM	<b>5</b> 3.76	5125.34	0.00	
11/02/83	4	RM	54.06	5125.04	0.00	
02/06/84	1	RM	53.07	5126.03	0.00	
04/03/84	2	RM	53.26	5125.84	0.00	
06/26/84	2	RM	53.02	5126.08	0.00	•
10/10/84	4	RM	53.12	5125.98	0.00	
01/07/85	1	RM	52.71	5126.39	0.00	
04/02/85	2	RM	53.36	5125.74	0.00	
06/26/85	2	RM	53.36	5125.74	0.00	

WELL 03518

WELL INFOMATION


EAST COORDINATE: 2174132 NORTH COORDINATE: 180480

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5171.60 TOP OF SCREEN ELEVATION: 5129.60 BOTTOM OF SCREEN ELEVATION: 5119.60

TIME SPAN: Jan-81 THROUGH Sep-85

	MEAN	SAMPLE	STD DEV.	99% CONFIDENCE	MEAN
QTR	DEPTH (FT)	SIZE	DEPTH	INTERVAL DEPTH	ELEV.
1	45.22	3	0.35	43.24 - 47.20	5126.38
2	46.45	5	1.05	44.29 - 48.61	5125.15
3	45.77	2	0.29	32.72 - 58.81	5125.84
4	45.68	2	0.54	21.52 - 69.84	5125.92
COMB	45.90	12	0.85	45.13 - 46.66	5125.70



WELL: 03518 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
01/14/81	1	SC	45.56	5126.04	0.00	
08/24/81	3	RM	45.56	5126.04	0.00	
06/03/82	2	RM	<b>45.9</b> 3	5125.67	0.00	
11/02/83	4	RM	46.06	5125.54	0.00	•
02/06/84	1	RM	45.24	5126.36	0.00	
04/03/84	2	RM	47.66	5123.94	0.00	
06/26/84	2	RM	47.50	5124.10	0.00	
10/10/84	4	RM	45.30	5126.30	0.00	
01/07/85	1	RM	44.87	5126.73	0.00	
04/02/85	2	RM	45.47	5126.13	0.00	
06/26/85	2	RM	45.67	5125.93	0.00	

WELL 03519

WELL INFOMATION


EAST COORDINATE: 2174825 NORTH COORDINATE: 180476

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5182.90 TOP OF SCREEN ELEVATION: 5156.90 BOTTOM OF SCREEN ELEVATION: 5146.90

TIME SPAN: Jan-81 THROUGH Sep-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	ERR	0	ERR	ERR - ERR	ERR
2	ERR	0	ERR	ERR - ERR	ERR
3	ERR	0	ERR	ERR - ERR	ERR
4	ERR	0	ERR	ERR - ERR	ERR
COMB	ERR	0	ERR	ERR - ERR	ERR



WELL: 03519 BEDROCK DEPTH: BEDROCK ELEV:

QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
1	SC	56.66	5126.24	0.00	DRY
3	RM	56.64	5126.26		DRY
2	RM	57.03	5125.87	0.00	DRY
4	RM	57.44	5125.46	0.00	DRY
1	RM	56.34	5126.56	0.00	DRY
2	RM	56.59	5126.31	0.00	DRY
2	RM	56.89	5126.01	0.00	DRY
4	RM	56.39	5126.51		DRY
1	RM	55.99	5126.91		DRY
2	RM	56. <i>7</i> 8			DRY
2	RM	56.68	5126.22	0.00	DRY
	1 3 2 4 1 2 2 4 1 2	1 SC 3 RM 2 RM 4 RM 1 RM 2 RM 2 RM 4 RM 1 RM 1 RM	QTR ORG FROM GRND (ft)  1 SC 56.66 3 RM 56.64 2 RM 57.03 4 RM 57.44 1 RM 56.34 2 RM 56.59 2 RM 56.89 4 RM 56.39 1 RM 55.99 2 RM 56.78	QTR ORG FROM GRND (ft) ELEVATION  1 SC 56.66 5126.24 3 RM 56.64 5126.26 2 RM 57.03 5125.87 4 RM 57.44 5125.46 1 RM 56.34 5126.56 2 RM 56.59 5126.31 2 RM 56.89 5126.01 4 RM 56.39 5126.51 1 RM 55.99 5126.51 2 RM 56.78 5126.12	QTR         ORG         FROM GRND (ft)         ELEVATION         THICK           1         SC         56.66         5126.24         0.00           3         RM         56.64         5126.26         0.00           2         RM         57.03         5125.87         0.00           4         RM         57.44         5125.46         0.00           1         RM         56.34         5126.56         0.00           2         RM         56.59         5126.31         0.00           2         RM         56.89         5126.01         0.00           4         RM         56.39         5126.51         0.00           1         RM         55.99         5126.91         0.00           2         RM         55.99         5126.91         0.00           2         RM         56.78         5126.12         0.00

WELL 03521

#### WELL INFOMATION


EAST COORDINATE: 2177320 NORTH COORDINATE: 178589

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5191.40 TOP OF SCREEN ELEVATION: 5179.40 BOTTOM OF SCREEN ELEVATION: 5169.40

TIME SPAN: Jan-81 THROUGH Feb-84

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	18.53	2	0.55	-6.29 - 43.35	5172.87
2	19.73	1	ERR	ERR - ERR	5171.67
3	19.20	1	ERR	ERR - ERR	5172.20
4	ERR	0	ERR	ERR - ERR	ERR
COMB	19.00	4	0.66	17.06 - 20.93	5172.40



WELL: 03521 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
01/14/81	1	SC	18.92	5172.48	0.00	
08/24/81	3	RM	19.20	5172.20	0.00	
06/03/82	2	RM	19.73	5171.67	0.00	
02/06/84	1	RM	18.14	5173.26	0.00	

#### WELL 03522

## WELL INFOMATION


EAST COORDINATE: 2173858 NORTH COORDINATE: 178044

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5200.90 TOP OF SCREEN ELEVATION: 5137.90 BOTTOM OF SCREEN ELEVATION: 5127.90

TIME SPAN: Jan-81 THROUGH Sep-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
				منت بنیت میں جبت مانہ ملت اللہ ملك بلاد مان عبر بہت مبت	
1	<b>68.</b> 07	3	0.50	65.20 - 70 <b>.</b> 93	5132.83
2	68.18	5	0.45	67.24 - 69.12	5132.72
3	68.46	3	0.06	68.14 - 68.79	5132.44
4	67 <b>.</b> 97	1	ERR	ERR - ERR	5132.93
COMB	68.21	12	0.39	67.86 - 68.55	5132.70



WELL: 03522 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
01/14/81	1	SC	48.58	5132.32	0.00	
08/17/81	3	RM	68.53	5132.37	0.00	
08/24/81	3	RM	68.42	5132.48	0.00	
06/03/82	2	RM	<b>68.9</b> 0	5132.00	0.00	•
02/06/84	1	RM	68.04	5132.86	0.00	
04/03/84	2	RM	<b>67.</b> 93	5132.97	0.00	
06/26/84	2	RM	67.69	5133.21	0.00	
10/10/84	4	RM	67.97	5132.93	0.00	
01/07/85	1	RM	67.58	5133.32	0.00	
04/02/85	2	RM	68.24	5132.66	0.00	
06/26/85	2	RM	68.14	5132.76	0.00	

WELL 03523

## WELL INFOMATION


EAST COORDINATE: 2173723 NORTH COORDINATE: 176785

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5204.20 TOP OF SCREEN ELEVATION: 5141.20 BOTTOM OF SCREEN ELEVATION: 5131.20

TIME SPAN: Jan-81 THROUGH Sep-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	62.73	3	0.60	59.27 - 66.20	5141.47
2	62.91	5	0.53	61.83 - 64.00	5141.29
3	63.12	3	0.19	62.04 - 64.21	5141.08
4	62.49	2	0.00	62.49 - 62.49	5141.71
COMB	62.86	13	0.45	62.47 - 63.24	5141.34



WELL: 03523 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
01/14/81	1	SC	<b>63.3</b> 3	5140.87	0.00	
08/17/81	3	RM	63.30	5140.90	0.00	
08/24/81	3	RM	63.15	5141.05	0.00	
06/03/82	2	RM	<b>63.78</b>	5140.42	0.00	
02/06/84	1	RM	62.75	5141.45	0.00	
04/03/84	2	RM	62.67	5141.53	0.00	
06/26/84	2	RM	<b>62.</b> 38	5141.82	0.00	
10/01/84	4	RM	62.49	5141.71	0.00	
10/10/84	4	RM	62.50	5141.70	0.00	
01/07/85	1	RM	62.12	5142.08	0.00	
04/02/85	2	RM	62.92	5141.28	0.00	
06/26/85	2	RM	62.82	5141.38	0.00	

WELL 03526

WELL INFOMATION


EAST COORDINATE: 2173126 NORTH COORDINATE: 180481

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5185.40 TOP OF SCREEN ELEVATION: 5131.10 BOTTOM OF SCREEN ELEVATION: 5121.10

TIME SPAN: Jan-81 THROUGH Sep-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	60.10	3	0.47	57.41 - 62.79	5125.30
2	61.50	4	1.87	56.05 - 66.96	5123.90
3	60.75	2	0.38	43.55 - <i>77</i> .95	5124.65
4	60.56	2	0.57	34.78 - 86.35	5124.84
COMB	60.81	11	1.22	59.64 - 61.98	5124.59



WELL: 03526 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE			WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
			### ##################################			
01/10/81	1	SC	60.60	5124.80	0.00	
08/24/81	3	RM	60.48	5124.92	0.00	
06/03/82	2	RM	60 <b>.</b> 78	5124.62	0.00	
11/02/83	4	RM	60.97	5124.43	0.00	
02/06/84	1	RM	60.03	5125.37	0.00	
04/03/84	2	RM	64.37	5121.03	0.00	DRY
06/26/84	2	RM	64.29	5121.11	0.00	
10/10/84	4	RM	60.16	5125.24	0.00	
01/07/85	1	RM	59.67	5125.73	0.00	
04/02/85	2	RM	60.32	5125.08	0.00	
06/26/85	2	RM	60.62	5124.78	0.00	

WELL 04524

## WELL INFOMATION


EAST COORDINATE: 2171529 NORTH COORDINATE: 176157

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5197.00 TOP OF SCREEN ELEVATION: 5140.00 BOTTOM OF SCREEN ELEVATION: 5130.00

TIME SPAN: Jan-81 THROUGH Sep-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
			<del></del>		
1	57.95	. 5	0.40	57.12 - 58.78	5139.05
2	<b>57.</b> 78	4	0.30	56.91 - 58.64	5139.23
3	58.01	5	0.18	57.63 - 58.38	5138.99
4	57.61	2	0.11	52.84 - 62.39	5139.39
COMB	<b>57.</b> 88	16	0.30	57.66 - 58.10	5139.12



WELL: 04524 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE			WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
01/11/01						
01/14/81	1	SC	58.01	5138.99	0.00	
08/17/81	3	RM	58.14	5138.86	0.00	
08/24/81	3	RM	57.92	5139.08	0.00	
01/26/82	1	RM	58.41	5138.59	0.00	
02/06/84	1	RM	57.77	5139.23	0.00	
04/03/84	2	RM	57.68	5139.32	0.00	
05/08/84	2	RM	57.74	5139.26	0.00	
06/26/84	2	RM	57 <b>.</b> 49	5139.51	0.00	
08/21/84	3	RM	57.74	5139.26	0.00	
10/10/84	4	RM	57.69	5139.31	0.00	
11/14/84	4	RM	57.54	5139.46	0.00	
01/07/85	1	RM	57.36	5139.64	0.00	
03/26/85	1	RM	58.19	5138.81	0.00	
04/02/85	2	RM	58.19	5138.81		
07/01/85	3	RM	58.04	<b>_</b>	0.00	
	_		36.04	5138. <i>9</i> 6	0.00	

WELL 04525

#### WELL INFOMATION


EAST COORDINATE: 2171846 NORTH COORDINATE: 176236

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5198.80
TOP OF SCREEN ELEVATION: 5141.80
BOTTOM OF SCREEN ELEVATION: 5131.80

TIME SPAN: Jan-81 THROUGH Sep-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
		·····			
1	59.79	3	0.34	57.86 - 61.72	5139.01
2	59.74	3	0.30	58.01 - 61.47	5139.06
3	59.33	2	0.14	<b>52.96 - 65.70</b>	5139.47
4	60.05	1	ERR	ERR - ERR	5138.75
COMB	59.70	9	0.33	59.34 - 60.07	5139.10



WELL: 04525 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
01/14/81	1	SC	<b>59.</b> 52	5139.28	0.00	
08/24/81	3	RM	0.00	0.00	0.00	DRY
02/06/84	1	RM	60.17	5138.63	0.00	2111
04/03/84	2	RM	60.03	5138.77	0.00	
06/26/84	2	RM	59.77	5139.03	0.00	
10/10/84	4	RM	60.05	5138.75	0.00	
01/07/85	1	RM	59.69	5139.11	0.00	
04/02/85	2	RM	59.43	5139.37	0.00	
07/01/85	. 3	RM	59.23	5139.57	0.00	-

WELL 04527

#### WELL INFOMATION


EAST COORDINATE: 2172579 NORTH COORDINATE: 180479

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5185.50 TOP OF SCREEN ELEVATION: 5121.00 BOTTOM OF SCREEN ELEVATION: 5111.00

TIME SPAN: Jan-81 THROUGH Sep-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
				ه خو خو در می می در این می	
1	<b>60.59</b>	3	0.25	59.14 - 62.04	5124.91
2	62.51	4	1.59	57.86 - 67.17	5122.99
3	61.20	3	0.20	60.05 - 62.35	5124.30
4	61.23	2	0.38	44.06 - 78.40	5124.27
COMB	61.49	12	1.17	60.44 - 62.54	5124.01



WELL: 04527 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
01/10/81	1	SC	40.70	·		
· - ·	_		60.70	5124.80	0.00	
08/24/81	3	RM	61.23	5124.27	0.00	
06/03/82	2	RM	61.53	5123.97	0.00	
11/02/83	4	RM	61.50	5124.00	0.00	
02/06/84	1	RM	60.77	5124.73	0.00	
04/03/84	2	RM	63.84	5121.66	0.00	
06/26/84	2	RM	<b>63.</b> 90	5121.60	0.00	•
10/10/84	4	RM	60.96	5124.54	0.00	
01/07/85	1	RM	60.30	5125.20	0.00	
04/02/85	2	RM	60.79	5124.71	0.00	
07/01/85	3	RM	60.99	5124.51	0.00	

WELL 04528

## WELL INFOMATION


EAST COORDINATE: 2171977 NORTH COORDINATE: 180475

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5190.10 TOP OF SCREEN ELEVATION: 5123.80 BOTTOM OF SCREEN ELEVATION: 5113.80

TIME SPAN: Jan-81 THROUGH Sep-85

	MEAN	SAMPLE	STD DEV.	99% CONFIDENCE	MEAN
QTR	DEPTH (FT)	SIZE	DEPTH	INTERVAL DEPTH	ELEV.
1	67.41	3	2.17	55.00 - 79.82	5122.69
2	67.47	4	0.81	65.10 - 69.85	5122.63
3	67.07	3	0.26	65.60 - 68.54	5123.03
4	66.94	2	0.35	51.03 - 82.85	5123.16
COMB	67.27	12	1.05	66.32 - 68.21	5122.83



WELL: 04528 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
01/10/81	1	SC	69.90	5120.20	0.00	
08/24/81	3	RM	67.01	5123.09	0.00	
06/03/82	2	RM	67.19	5122.91	0.00	
11/02/83	4	RM	67.19	5122.91	0.00	
02/06/84	1	RM	66.40	5123.70	0.00	
04/03/84	2	RM	68.06	5122.04	0.00	
06/26/84	2	RM	68.19	5121.91	0.00	
10/10/84	4	RM	66.69	5123.41	0.00	
01/07/85	1	RM	<b>65.94</b>	5124.16	0.00	
04/02/85	2	RM	66.45	5123.65	0.00	
07/01/85	3	RM	66.85	5123.25	0.00	

WELL 04529

#### WELL INFOMATION


EAST COORDINATE: 2171575 NORTH COORDINATE: 180471

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5191.30 TOP OF SCREEN ELEVATION: 5127.60 BOTTOM OF SCREEN ELEVATION: 5117.60

TIME SPAN: Jan-81 THROUGH Sep-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	67.95	3	0.26	66.49 - 69.42	5123.35
2	68.40	4	0.47	67.02 - 69.78	5122.90
3	69.01	3	0.30	67.27 - 70.74	5122.29
4	68.83	2	0.35	52.85 - 84.81	5122.47
COMB	<b>68.5</b> 1	12	0.52	68.04 - 68.98	5122.79



WELL: 04529 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
01/10/81	1	SC	68.10	5123.20	0.00	
08/24/81	3	RM	<b>68.</b> 96	5122.34	0.00	
06/03/82	2	RM	69.08	5122.22	0.00	
11/02/83	4	RM	69.0B	5122.22	0.00	
02/06/84	1	RM	68.10	5123.20	0.00	
04/03/84	2	RM	68.02	5123.28	0.00	
06/26/84	2	RM	68.16	5123.14	0.00	
10/10/84	4	RM	68.58	5122.72	0.00	
01/07/85	1	RM	67.66	5123.64	0.00	
04/02/85	2	RM	68.33	5122.97		
07/01/85	3	RM	68.73		0.00	
	_	131	66.75	5122.57	0.00	

WELL 04532

WELL INFOMATION


EAST COORDINATE: 2172236 NORTH COORDINATE: 180463

- AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5187.50 TOP OF SCREEN ELEVATION: 5132.00 BOTTOM OF SCREEN ELEVATION: 5122.00

TIME SPAN: Jan-81 THROUGH Sep-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	62.17	4	1.48	57.86 - 66.49	5125.33
2	63.19	5	0.53	62.11 - 64.27	5124.31
3	63.13	4	1.01	60.17 - 66.08	5124.38
4	63.59	3	0.35	61.57 - 65.60	5123.91
COMB	62.99	16	1.00	62.26 - 63.73	5124.51



WELL: 04532 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
		~				
01/10/81	1	SC	60.00	5127.50	0.00	
08/24/81	3	RM	0.00	0.00	0.00	DRY
09/08/82	3	RM	0.00	0.00	0.00	DRY
05/10/83	2	RM	64.01	5123.49	0.00	
08/09/83	3	RM	64.45	5123.05	0.00	
11/02/83	4	RM	63 <b>. 95</b>	5123.55	0.00	
02/06/84	1	RM	<b>63.27</b>	5124.23	0.00	
04/03/84	2	RM	63.16	5124.34	0.00	
05/08/84	2	RM	63.05	5124.45	0.00	
06/26/84	2	RM	63.17	5124.33	0.00	
08/21/84	3	RM	62.05	5125.45	0.00	
10/10/84	4	RM	63.56	5123.94	0.00	
11/14/84	4	RM	63.25	5124.25	0.00	
01/07/85	1	RM	62.87	5124.63	0.00	
03/26/85	1	RM	62.55	5124.95	0.00	
04/02/85	2	RM	62.55	5124.95	0.00	
07/01/85	3	RM	62.75	5124.75	0.00	

WELL 28503

WELL INFOMATION


EAST COORDINATE: 2169165 NORTH COORDINATE: 185905

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5153.90 TOP OF SCREEN ELEVATION: 5105.90 BOTTOM OF SCREEN ELEVATION: 5095.90

TIME SPAN: Sep-80 THROUGH Sep-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	47.26	3	3.45	27.51 - 67.00	5106.64
2	47.12	4	3.65	36.47 - <b>5</b> 7.77	5106.78
3	50.34	5	3.58	42.98 - 57.71	5103.56
4	47.49	2	1.39	-15.21 - 110.20	5106.41
COMB	48.35	14	3.37	45.64 - 51.07	5105.55



WELL: 28503

BEDROCK DEPTH: 60.00 BEDROCK ELEV: 5093.90

SAMPLE			WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
09/05/80	3	SC	<b>52.</b> 93	5100.97	7.07	
01/14/81	1	SC	50.98	5102.92	9.02	
04/23/81	2	SC	51.08	5102.82	8.92	
07/29/81	3	SC	53.16	5100.74	6.84	
08/18/81	3	RM	52.72	5101.18	7.28	
11/09/83	4	RM	48.48	5105.42	11.52	
02/06/84	1	RM	46.61	5107.29	13.39	
04/04/84	2	RM	44.14	5109.76	15.86	
06/26/84	2	RM	49.35	5104.55	10.65	
10/08/84	4	RM	46.51	5107.39	13.49	
01/07/85	1	RM	44.18	5109.72	15.82	
04/02/85	2	RM	43.90	5110.00	16.10	
07/08/85	3	RM	45.90	5108.00	14.10	

WELL 28504

## WELL INFOMATION


EAST COORDINATE: 2169388 NORTH COORDINATE: 186100

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5144.30 TOP OF SCREEN ELEVATION: 5104.30 BOTTOM OF SCREEN ELEVATION: 5094.30

TIME SPAN: Sep-80 THROUGH Sep-80

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	ERR	0	ERR	ERR - ERR	ERR
2	ERR	0	ERR	ERR - ERR	ERR
3	44.91	1	ERR	ERR - ERR	5099.39
4	ERR	0	ERR	ERR - ERR	ERR
COMB	44.91	1	ERR	ERR - ERR	5099.39



WELL: 28504

BEDROCK DEPTH: 50.00 BEDROCK ELEV: 5094.30

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
09/05/80	3	SC	44.91	5099.39	5.09	
11/02/83	4	RM	0.00	0.00	0.00	RUINED

#### WELL 28513

## WELL INFOMATION


EAST COORDINATE: 2169510 NORTH COORDINATE: 186296

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5139.40 TOP OF SCREEN ELEVATION: 5106.40 BOTTOM OF SCREEN ELEVATION: 5096.40

TIME SPAN: Jan-81 THROUGH Sep-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	34.63	3	2.11	22.55 - 46.70	5104.77
2	34.57	4	1.65	29. <i>7</i> 5 - 39.38	5104.84
3	36.13	3	2.37	22.57 - 49.69	5103.27
4	34.22	2	0.22	24.38 - 44.07	5105.18
COMB	34.92	12	1.77	33.33 - 36.50	5104.49



WELL: 28513

BEDROCK DEPTH: 42.00 BEDROCK ELEV: 5097.40

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
01/14/81	1	SC	37.04	5102.36	4.96	
04/23/81	2	SC	36.92	5102.48	5.08	
07/29/81	3	SC	38 <b>.</b> 55	5100.85	3.45	
11/02/83	4	RM	34.07	5105.33	7.93	
02/06/84	1	RM	33.69	5105.71	8.31	
04/04/84	2	RM	33.87	5105.53	8.13	
06/26/84	2	RM	34.35	5105.05	7.65	
10/08/84	4	RM	34.38	5105.02	7.62	
01/07/85	1	RM	33.15	5106.25	8.85	
04/02/85	2	RM	33.12	5106.28	8.88	
07/08/85	3	RM	33.82	5105.58	8.18	

WELL 33500

## WELL INFOMATION


EAST COORDINATE: 2168655-NORTH COORDINATE: 185324

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5150.60
TOP OF SCREEN ELEVATION: 5105.60
BOTTOM OF SCREEN ELEVATION: 5095.60

TIME SPAN: Sep-80 THROUGH Jul-85

	MEAN	SAMPLE	STD DEV.	99% CONFIDENCE	MEAN
QTR	DEPTH (FT)	SIZE	DEPTH	INTERVAL DEPTH	ELEV.
1	43.33	3	4.76	16.04 - 70.62	5107.27
2	41.79	4	4.91	27.47 - 56.12	5108.81
3	49.46	4	5.25	34.12 - 64.79	5101.14
4	44.76	2	1.77	-34.81 - 124.33	5105.84
COMB	44.96	13	5.26	40.50 - 49.42	5105.64



WELL: 33500

BEDROCK DEPTH: 55.00 BEDROCK ELEV: 5095.60

SAMPLE	OTO	ana	WATER DEPTH	WATER	SAT	
DATE	QTR	org	FROM GRND (ft)	ELEVATION	THICK	REMARKS
09/05/80	3		E2 E2	E000 00		
	<b>.</b>	SC	52.58	5098.02	2.42	
01/14/81	1	SC	47.61	5102.99	7.39	
04/23/81	2	SC	47.85	5102.75	7.15	
07/29/81	3	SC	51.96	5098.64	3.04	
08/18/81	3	RM	51.69	5098.91	3.31	
11/02/83	4	RM	46.01	5104.59	8.99	
02/06/84	1	RM	44.18	5106.42	10.82	
04/04/84	2	RM	38.24	5112.36	16.76	
06/26/84	2	RM	43.69	5106.91	11.31	
10/08/84	4	RM	43.51	5107.09	11.49	
01/07/85	1	RM	38.20	5112.40	16.80	
04/02/85	2	RM	37.40	5113.20	17.60	
07/02/85	3	RM	41.60	5109.00	13.40	

WELL 33501

WELL INFOMATION


EAST COORDINATE: 2168832 NORTH COORDINATE: 185525

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5150.30 TOP OF SCREEN ELEVATION: 5103.30 BOTTOM OF SCREEN ELEVATION: 5093.30

TIME SPAN: Sep-80 THROUGH Jul-85

	MEAN	SAMPLE	STD DEV.	99% CONFIDENCE	MEAN
QTR	DEPTH (FT)	SIZE	DEPTH	INTERVAL DEPTH	ELEV.
1	39.22	3	7.75	-5.19 - 83.63	5111.08
2	35.67	4	8.29	11.47 - 59.88	5114.63
3	46.59	4	8.74	21.06 - 72.12	5103.71
4	36.49	2	3.28	-111.18 - 184.16	<b>5</b> 113.81
COMB	39.98	13	8.37	32.88 - 47.07	5110.32



WELL: 33501

BEDROCK DEPTH: 56.00 BEDROCK ELEV: 5094.30

SAMPLE			WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
00 (05 (00						
09/05/80	3	SC	51.18	5099.12	4.82	
01/14/81	1	SC	47.34	5102.96	8.66	
04/23/81	2	SC	47.60	5102.70	8.40	
07/29/81	3	SC	51.03	5099.27	4.97	
08/18/81	3	RM	50.67	5099.63	5.33	
11/02/83	4	RM	38.81	5111.49	17.19	
02/06/84	1	RM	38.42	5111.88	17.58	
04/04/84	2	RM	29.81	5120.49	26.19	
06/26/84	2	RM	35.01	5115.29	20.99	
10/08/84	4	RM	34.17	5116.13	21.83	
01/07/85	1	RM	31.90	5118.40	24.10	
04/02/85	2	RM	30.28	5120.02	25.72	
07/02/85	3	RM	33.48	5116.82	22.52	

WELL 33502

#### WELL INFOMATION


EAST COORDINATE: 2168997 NORTH COORDINATE: 185712

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5155.90 TOP OF SCREEN ELEVATION: 5102.90 BOTTOM OF SCREEN ELEVATION: 5092.90

TIME SPAN: Sep-80 THROUGH Jul-85

	MEAN	SAMPLE	STD DEV.	99% CONFIDENCE	MEAN
QTR	DEPTH (FT)	SIZE	DEPTH	INTERVAL DEPTH	ELEV.
1	46.92	3	5.76	13.89 - 79.95	5108.98
2	45.74	4	5.86	28.62 - 62.85	5110.16
3	52.91	4	6.03	35.30 - 70.53	5102.99
4	44.68	2	1.71	-32.36 - 121.72	5111.22
COMB	48.06	13	5.94	43.02 - 53.09	5107.84



WELL: 33502

BEDROCK DEPTH: 63.00 BEDROCK ELEV: 5092.90

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER	SAT	
			FROM GRND (ft)	ELEVATION	THICK	REMARKS
09/05/80	3	SC	55.93	5099.97	7.07	
01/14/81	1	SC	53.20	5102.70	<b>7.</b> 80	
04/23/81	2	SC	53.35	5102.55	9.65	
07/29/81	3	SC	56.15	5099.75	6.85	
08/18/81	3	RM	55.70	5100.20	7.30	
11/02/83	4	RM	45.89	5110.01	17.11	
02/06/84	1	RM	45.69	5110.21	17.31	
04/04/84	2	RM	41.74	5114.16	21.26	
06/26/84	2	RM	47.29	5108.61	15.71	
10/08/84	4	RM	43.47	5112.43	19.53	
01/07/85	1	RM	41.87	5114.03	21.13	
04/02/85	2	RM	40.57	5115.33	22.43	
07/02/85	3	RM	43.87	5112.03	19.13	

WELL 33505

WELL INFOMATION


EAST COORDINATE: 2170210 NORTH COORDINATE: 184837

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5165.40 TOP OF SCREEN ELEVATION: 5113.40 BOTTOM OF SCREEN ELEVATION: 5103.40

TIME SPAN: Sep-80 THROUGH Jul-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	60.15	3	1.54	51.30 - 69.01	5105.25
2	59.59	2	1.77	-19.98 - 139.16	5105.81
3	59.07	4	3.38	49.19 - 68.96	5106.33
4	ERR	0	ERR	ERR - ERR	ERR
COMB	<b>5</b> 9.55	9	2.35	56.92 - 62.18	5105.85



WELL: 33505

BEDROCK DEPTH: 62.00 BEDROCK ELEV: 5103.40

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
09/05/80	3	SC	60.32	5105.08	1.68	
01/14/81	· 1	SC	58.50	5106.90	3.50	
04/23/81	2	SC	58.34	5107.06	3.66	
07/29/81	3	SC	54.18	5111.22	7.82	
08/18/81	3	RM	59.86	5105.54	2.14	
11/02/83	4	RM	0.00	0.00	0.00	DRY
02/07/84	1	RM	60.40	5105.00	1.60	2000
10/08/84	4	RM	0.00	0.00	0.00	DRY
01/08/85	1	RM	61.56	5103.84	0.44	2111
04/02/85	2	RM	60.84	5104.56	1.16	
07/02/85	3	RM	61.94	5103.46	0.06	

WELL 33506

#### WELL INFOMATION


EAST COORDINATE: 2170330 NORTH COORDINATE: 185052

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5147.90 TOP OF SCREEN ELEVATION: 5109.90 BOTTOM OF SCREEN ELEVATION: 5099.90

TIME SPAN: Sep-80 THROUGH Jul-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	43.50	3	1.17	36.82 - 50.17	5104.40
2	43.67	3	1.16	37.01 - 50.34	5104.23
3	44.98	4	1.20	41.46 - 48.49	5102.93
4	45.73	2	0.34	30.45 - 61.01	5102.17
COMB	44.41	12	1.31	43.23 - 45.58	5103.49



WELL: 33506

BEDROCK DEPTH: 50.00 BEDROCK ELEV: 5097.90

SAMPLE			WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
09/05/80				*****		
	3	SC	<b>43.</b> 93	5103.97	6.07	
01/14/81	1	SC	42.53	5105.37	7.47	
04/23/81	2	SC	42.33	5105.57	7.67	
07/29/81	3	SC	44.29	5103.61	5.71	
08/18/81	3	RM	46.64	5101.26	3.36	
11/02/83	4	RM	45.49	5102.41	4.51	
02/07/84	1	RM	43.17	5104.73	6.83	
04/04/84	2	RM	44.35	5103.55	5.65	
06/26/84	2	RM	48. <i>77</i>	5099.13	1.23	DRY
10/08/84	4	RM	<b>45.</b> 97	5101.93	4.03	
01/08/85	1	RM	44.79	5103.11	5.21	
04/02/85	2	RM	44.34	5103.56	5.66	
07/02/85	3	RM	45.04	5102.86	4.96	

WELL 33507

#### WELL INFOMATION


EAST COORDINATE: 2170455 NORTH COORDINATE: 185264

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5144.60 TOP OF SCREEN ELEVATION: 5110.60 BOTTOM OF SCREEN ELEVATION: 5100.60

TIME SPAN: Sep-80 THROUGH Jul-85

	MEAN	SAMPLE	STD DEV.	99% CONFIDENCE	MEAN
QTR	DEPTH (FT)	SIZE	DEPTH	INTERVAL DEPTH	ELEV.
1	40.41	3	1.52	31.72 - 49.11	5104.19
2	40.62	2	1.74	-37.68 - 118.92	5103.98
3	41.34	3	0.71	37.27 - 45.41	5103.26
4	42.85	2	0.42	23.76 - 61.94	5101.75
COMB	41.22	10	1.37	39.81 - 42.63	5103.38



WELL: 33507 BEDROCK DEPTH: 44.00 BEDROCK ELEV: 5100.60

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
				CCC 411 1014	111111	REMARKS
09/05/80	3	SC	40.82	5103.78	3.18	
01/14/81	1	SC	39.42	5105.18	4.58	•
04/23/81	2	SC	39.39	5105.21	4.61	
07/29/81	3	SC	41.05	5103.55	2.95	
08/18/81	3	RM	45.38	5099.22	0.00	DRY
11/02/83	4	RM	42.55	5102.05	1.45	
02/07/84	1	RM	39.66	5104.94	4.34	
04/04/84	2	RM	44.24	5100.36	0.00	DRY
06/26/84	2	RM	44.10	5100.50	0.00	DRY
10/08/84	4	RM	43.15	5101.45	0.85	2
01/08/85	1	RM	42.16	5102.44	1.84	
04/02/85	2	RM	41.85	5102.75	2.15	
07/02/85	3	RM	42.15	5102.45	1.85	

WELL 33508

WELL INFOMATION


EAST COORDINATE: 2170581 NORTH COORDINATE: 185482

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5155.50 TOP OF SCREEN ELEVATION: 5113.50 BOTTOM OF SCREEN ELEVATION: 5103.50

TIME SPAN: Sep-80 THROUGH Jul-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	50.82	2	0.45	30.44 - 71.20	5104.68
2	50.86	1	ERR	ERR - ERR	5104.64
3	50.87	1	ERR	ERR - ERR	5104.63
4	ERR	0	ERR	ERR - ERR	ERR
COMB	50.84	4	0.26	50.08 - 51.61	5104.66



WELL: 33508

BEDROCK DEPTH: 52.00 BEDROCK ELEV: 5103.50

SAMPLE			WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
			<del></del>	~~~~~		
09/05/80	3	.SC	52.16	5103.34	0.00	DRY
01/14/81	1	SC	51.14	5104.36	0.86	
04/23/81	2	SC	50.86	5104.64	1.14	
07/29/81	3	SC	52.19	5103.31	0.00	DRY
08/18/81	3	RM	50.87	5104.63	1.13	
11/02/83	4	RM	` 0.00	0.00	0.00	DRY
02/07/84	1	RM	50.50	5105.00	1.50	
04/04/84	2	RM	54.46	5101.04	0.00	DRY
06/26/84	2	RM	54.32	5101.18	0.00	DRY
10/08/84	4	RM	0.00	0.00	0.00	DRY
01/08/85	1	RM	0.00	0.00	0.00	DRY
04/02/85	2	RM	0.00	0.00	0.00	DRY
07/02/85	3	RM	0.00	0.00	0.00	DRY @54'

WELL 33509

#### WELL INFOMATION


EAST COORDINATE: 2170712 NORTH COORDINATE: 185688

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5147.70 TOP OF SCREEN ELEVATION: 5109.70 BOTTOM OF SCREEN ELEVATION: 5099.70

TIME SPAN: Sep-80 THROUGH Jul-85

	MEAN	SAMFLE	STD DEV.	99% CONFIDENCE	MEAN
QTR	DEPTH (FT)	SIZE	DEPTH	INTERVAL DEPTH	ELEV.
1	43.38	3	0.64	39.71 - 47.05	5104.32
2	44.03	3	0.62	40.48 - 47.59	5103.67
3	44.10	4	0.57	42.42 - 45.77	5103.61
4	44.35	2	0.42	25.58 - 63.11	5103.36
COMB	43.94	12	0.61	43.39 - 44.49	5103.76



WELL: 33509

BEDROCK DEPTH: 49.00 BEDROCK ELEV: 5098.70

SAMPLE DATE	OTD	anc	WATER DEPTH	WATER	SAT	
DHIE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
09/05/80	3	SC	44.36	5103.34	4.64	~~~
01/14/81	1	SC	43.57	5104.13	5.43	
07/29/81	3	SC	44.74	5102.96	4.26	
08/18/81	3	RM	43.43	5104.27	5.57	
11/02/83	4	RM	44.05	5103.65	4.75	
02/07/84	1	RM	42.67	5105.03	6.33	
04/04/84	2	RM	43.70	5104.00	5.30	
06/26/84	2	RM	44.75	5102.95	4.25	
10/08/84	4	RM	44.64	5103.06	4.36	
01/08/85	1	RM	43.91	5103.79	5.09	
04/02/85	2	RM	43.65	5104.05	5.35	
07/02/85	3	RM	43.85	5103.85	5.15	

WELL 33510

#### WELL INFOMATION


EAST COORDINATE: 2170858 NORTH COORDINATE: 184766

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5153.20 TOP OF SCREEN ELEVATION: 5110.20 BOTTOM OF SCREEN ELEVATION: 5100.20

TIME SPAN: Sep-80 THROUGH Jul-85

	MEAN	SAMPLE	STD DEV.	99% CONFIDENCE	MEAN
QTR	DEPTH (FT)	SIZE	DEPTH	INTERVAL DEPTH	ELEV.
1	45.74	3	0.27	44.18 - 47.29	5107.46
2	45.95	3	0.82	41.25 - 50.66	5107.25
3	46.66	4	0.77	44.42 - 48.90	5106.54
. 4	46.78	2	0.04	45.06 - 48.51	5106.42
COMB	46.27	12	0.71	45.64 - 46.91	<b>5106.9</b> 3



WELL: 33510

BEDROCK DEPTH: 51.00 BEDROCK ELEV: 5102.20

SAMPLE		٠	WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
				*		
09/05/80	3	SC	47.24	5105.96	3.76	
01/14/81	1	SC	46.02	5107.18	4.98	
07/29/81	3	SC	47.40	5105.80	3.60	
08/18/81	3	RM	45.94	5107.26	5.06	
11/02/83	4	RM	46.76	5106.44	4.24	
02/07/84	1	RM	45.48	5107.72	5.52	
04/04/84	2	RM	45.61	5107.59	5.39	
06/26/84	2	RM	46.89	5106.31	4.11	
10/08/84	4	RM	<del>4</del> 6.81	5106.39	4.19	
01/08/85	1	RM	45.71	5107.49	5.29	
04/02/85	2	RM	45.36	5107.84	5.64	
07/02/85	3	RM	46.06	5107.14	4.94	

WELL 33511

WELL INFOMATION


EAST COORDINATE: 2171003 NORTH COORDINATE: 184976

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5151.40 TOP OF SCREEN ELEVATION: 5113.40 BOTTOM OF SCREEN ELEVATION: 5103.40

TIME SPAN: Sep-80 THROUGH Jul-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
i 2	44.14 43.75	3	0.48	41.38 - 46.90 36.75 - 50.75	5107.26 5107.65
3 4	44.92	4 2	0.88	42.35 - 47.48	5106.49
COMB	44.71 44.45	11	0.03 0.71	43.14 - 46.29 43.77 - 45.14	5106.69 5106.95



WELL: 33511

BEDROCK DEPTH: 48.00 BEDROCK ELEV: 5103.40

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
09/05/80 01/14/81 07/29/81 08/18/81 11/02/83 02/07/84 04/04/84 06/26/84 10/08/85	3 1 3 3 4 1 2 2 4	SC SC SC RM RM RM RM RM	45.54 44.68 45.80 44.18 44.74 43.76 43.86 48.29 44.69	5105.86 5106.72 5105.60 5107.22 5106.66 5107.64 5107.54 5103.11 5106.71	2.46 3.32 2.20 3.82 3.26 4.24 4.14 0.00 3.31	DRY
04/02/85 07/02/85	2	RM RM	43.64 44.14	5107.43 5107.76 5107.26	4.03 4.36 3.86	

WELL 33512

#### WELL INFOMATION


EAST COORDINATE: 2171153 NORTH COORDINATE: 185200

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5154.70 TOP OF SCREEN ELEVATION: 5114.70 BOTTOM OF SCREEN ELEVATION: 5104.70

TIME SPAN: Sep-80 THROUGH Jul-85

	MEAN	SAMPLE	STD DEV.	99% CONFIDENCE	MEAN
QTR	DEPTH (FT)	SIZE	DEPTH	INTERVAL DEPTH	ELEV.
1.	47.43	4	0.59	45.70 - 49.16	5107.27
2	49.40	3	2.28	36.32 - 62.49	5105.30
3	47.46	5	1.39	44.60 - 50.32	5107.24
4	47.45	3	0.18	46.44 - 48.46	5107.25
COMB	47.84	15	1.43	46.74 - 48.93	5106.86



WELL: 33512

BEDROCK DEPTH: 50.00 BEDROCK ELEV: 5104.70

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
00 (0E (00						
09/05/80	3	SC	48.68	5106.02	1.32	
01/14/81	1	SC	48.11	5106.59	1.89	
07/29/81	3	SC	<b>48.8</b> 3	5105.87	1.17	
07/29/81	3	RM	45.42	5109.28	4.58	
08/18/81	3	RM	47.32	5107.38	2.68	
10/28/81	4	RM	47.64	5107.06	2.36	•
01/28/82	1	RM	47.74	5106.96	2.26	
11/02/83	4	RM	47.29	5107.41	2.71	
02/07/84	1	RM	46.85	5107.85	3.15	
04/04/84	2	RM	50.15	5104.55	0.00	
06/26/84	2	RM	51.22	5103.48	0.00	
10/08/84	4	RM	47.42	5107.28	2.58	
01/08/85	1	RM	47.03	5107.67	2.97	
04/02/85	2	RM	46.84	5107.86	3.16	
07/02/85	3	RM	47.04	5107.66	2.96	

WELL 33514

#### WELL INFOMATION


EAST COORDINATE: 2172133 NORTH COORDINATE: 181382

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5174.60 TOP OF SCREEN ELEVATION: 5124.60 BOTTOM OF SCREEN ELEVATION: 5114.60

TIME SPAN: Jan-81 THROUGH Jul-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	53.58	3	0.36	51.49 55.67	5121.02
2	<b>5</b> 3.93 54.35	3	0.24	52.57 - 55.30	5120.67
3 4	54.35 54.48	2 2	0.23 0.50	43.82 - 64.87 32.17 - 76.79	5120.26 5120.12
COMB	54.02	10	0.46	53.55 - 54.49	5120.58



WELL: 33514 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE	0.70	000	WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
01/14/81	1	SC	53.91	5120.69	0.00	~~~~
08/20/81	3	RM	54.51	5120.09	0.00	
11/02/83	4	RM	54.83	5119.77	0.00	
02/06/84	1	RM	53.64	5120.96	0.00	
04/04/84	~ 2	RM	53.97	5120.63	0.00	
06/26/84	2	RM	54.15	5120.45	0.00	
10/08/84	4	RM	54.13	5120.47	0.00	
01/07/85	1	RM	<b>5</b> 3.19	5121.41	0.00	
04/02/85	2	RM	53.68	5120.92	0.00	
07/02/85	3	RM	54.18	5120.42	0.00	

WELL 33530

WELL INFOMATION


EAST COORDINATE: 2169928 NORTH COORDINATE: 183323

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5165.80 TOP OF SCREEN ELEVATION: 5123.60 BOTTOM OF SCREEN ELEVATION: 5113.60

TIME SPAN: Jan-81 THROUGH Jul-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	50.60	1	ERR	ERR - ERR	5115.20
2	51.83	1	ERR	ERR - ERR	5113.97
3	51.53	1	ERR	ERR - ERR	5114.27
4	ERR	0	ERR	ERR - ERR	ERR
COMB	51.32	3	0.64	47.64 - 55.00	5114.48



WELL: 33530 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
01/10/81	1	SC	50.60	5115.20	0.00	
08/18/81	3	RM	0.00	0.00	0.00	DRY
11/02/83	4	RM	0.00	0.00	0.00	DRY
02/06/84	1	RM	0.00	0.00	0.00	DRY
04/04/84	2	RM	0.00	0.00	0.00	DRY
06/26/84	2	RM	0.00	0.00	0.00	DRY
10/08/84	4	RM	0.00	0.00	0.00	DRY
01/07/85	1	RM	0.00	0.00	0.00	DRY
04/02/85	2	RM	51.83	5113.97	0.00	
07/02/85	3	RM	51.53	5114.27	0.00	MUD

#### WELL 33531

#### WELL INFOMATION


EAST COORDINATE: 2169776 NORTH COORDINATE: 183127

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5162.00 TOP OF SCREEN ELEVATION: 5113.60 BOTTOM OF SCREEN ELEVATION: 5103.60

TIME SPAN: Jan-81 THROUGH Jul-85

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	49.92	2	1.02	4.09 - 95.75	5112.08
2	50.80	5	1.99	46.70 - 54.89	5111.20
3	52. <i>7</i> 5	6	1.58	50.15 - 55.36	5109.25
4	50.82	2	1.71	-26.21 - 127.85	5111.18
COMB	51.47	15	1.89	50.01 - 52.92	<b>5110.5</b> 3



WELL: 33531 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
01/10/81	1	SC	49.20	5112.80	0.00	
08/11/81	3	RM	54.04	5107.96	0.00	
08/18/81	3	RM	53.61	5108.39	0.00	,
01/28/82	1	RM	50.64	5111.36	0.00	•
04/15/82	2	RM	51.12	5110.88	0.00	
09/10/82	3	RM	52.64	5109.36	0.00	
05/26/83	2	RM	50.74	5111.26	0.00	
08/22/83	3	RM	53.65	5108.35	0.00	
11/02/83	4	RM	52.03	5109.97	0.00	
02/06/84	1	RM	0.00	0.00	0.00	DRY
04/04/84	2	RM	0.00	0.00	0.00	DRY
05/09/84	2	RM	49.49	5112.51	0.00	21()
06/26/84	2	RM	53.91	5108.09	0.00	
08/21/84	3	RM	49.71	5112.29	0.00	
10/08/84	4	RM	0.00	0.00	0.00	RECORDER
11/14/84	4	RM	49.61	5112.39	0.00	
01/07/85	1	RM	0.00	0.00	0.00	RECORDER
04/02/85	2	RM	48.72	5113.28	0.00	
07/02/85	3	RM	52.88	5109.12	0.00	

## WATER LEVEL STATISTICS REPORT DATE: JANUARY 1986

WELLS 33533-33534, 33576-33583

WELL INFORMATION

NO STATISTICS OR PLOTS DUE TO MISSING INFORMATION. SEE THE FOLLOWING PAGES FOR DATA LISTINGS.

WELL: 33533 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE			WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
11/02/83	4	RM	42.19	5101.81	0.00	
02/07/84	. 1	RM	39.94	5104.06	0.00	
04/04/84	2	RM	41.10	5102.90	0.00	
06/26/84	2	RM	44.32	5099.68	0.00	
10/08/84	4	RM	42.44	5101.56	0.00	
01/08/85	1	RM	41.47	5102.53	0.00	
04/02/85	2	RM	41.09	5102.91	0.00	
07/02/85	3	RM	41.69	5102.31	0.00	
09/30/85	3	RM	42.29	5101.71	0.00	

WELL: 33534 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE			WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
11/02/83	4	RM	52.77	5103.43	0.00	
02/07/84	1	RM	50.73	5105.47	0.00	
04/04/84	2	RM	51.96	5104.24	0.00	
06/26/84	2	RM	52.82	5103.38	0.00	
10/08/84	4	RM	53.10	5103.10	0.00	
01/08/85	1	RM	52.18	5104.02	0.00	
04/02/85	2	RM	52 <b>.89</b>	5103.31	0.00	
07/02/85	3	RM	53.19	5103.01	0.00	
09/30/85	3	RM	53.89	5102.31	0.00	

WELL: 33576 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
11/02/83	4	RM	48.86	5103.24	0.00	
02/06/84	1	RM	46.66	5105.44	0.00	
04/04/84	2	RM	38.41	5113.69	0.00	
06/26/84	2	RM	36.91	5115.19	0.00	
10/08/84	4	RM	46.02	5106.08	0.00	
01/07/85	1	RM	37.49	5114.61	0.00	
04/02/85	2	RM	33.91	5118.19	0.00	
07/02/85	3	RM	39.51	5112.59	0.00	
09/30/85	3	RM	48.01	5104.09	0.00	

WELL: 33577 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE			WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
						~
11/02/83	4	RM	50.63	5102.67	0.00	
02/06/84	. 1	RM	48.23	5105.07	0.00	
04/04/84	2	RM	44.58	5108.72	0.00	
06/26/84	2	RM	48.08	5105.22	0.00	
10/08/84	4	RM	49.45	5103.85	0.00	
01/07/85	1	RM	43.98	5109.32	0.00	
04/02/85	2	RM	42.53	5110.77	0.00	
07/02/85	3	RM	47.33	5105.97	0.00	
09/30/85	3	RM	50.33	5102.97	0.00	

WELL: 33578
BEDROCK DEPTH:
BEDROCK ELEV:

SAMPLE			WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
11/02/83	4	RM	50.15	5102.05	0.00	
02/06/84	1	RM	47.36	5104.84	0.00	
04/04/84	2	RM	44.65	5107.55	0.00	
06/26/84	2	RM	48.00	5104.20	0.00	
10/08/84	4	RM	49.22	5102.98	0.00	
01/07/85	1	RM	43.58	5108.62	0.00	
04/02/85	2	RM	42.40	5109.80	0.00	
07/02/85	3	RM	47.50	5104.70	0.00	
09/30/85	3	RM	50.10	5102.10	0.00	

WELL: 33579 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
11/02/83	4	RM	52.57	5101.73	0.00	
02/06/84	1	RM	49.45	5104.85	0.00	
04/04/84	2	RM	47.91	5106.39	0.00	
06/26/84	2	RM	52.32	5101.98	0.00	
10/08/84	4	RM	52.80	5101.50	0.00	
01/07/85	1	RM	46.51	5107.79	0.00	
04/02/85	2	RM	45.62	5108.68	0.00	
07/02/85	3	RM	52.22	5102.08	0.00	
09/30/85	3	RM	<b>53.32</b>	5100.98	0.00	

WELL: 33580 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE			WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
~~~~~						
11/02/83	4	RM	51.18	5101.92	0.00	
02/06/84	. 1	RM	48.85	5104.25	0.00	
04/04/84	2	RM	48.76	5104.34	0.00	
06/26/84	2	RM	50.81	5102.29	0.00	
10/08/84	4	RM	51.33	5101.77	0.00	
01/07/85	1	RM	48.35	5104.75	0.00	
04/02/85	2	RM	47.93	5105.17	0.00	
07/02/85	3	RM	50.53	5102.57	0.00	
09/30/85	3	RM	51.73	5101.37	0.00	

WELL: 33581 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE			WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
11/02/83	4	RM	53.66	5102.54	0.00	
02/06/84	1	RM	50.67	5105.53	0.00	
04/04/84	2	RM	49.9 9	5106.21	0.00	
06/26/84	2	RM	53.96	5102.24	0.00	
10/08/84	4	RM	53 . 90	5102.30	0.00	
01/07/85	1	RM	48.86	5107.34	0.00	
04/02/85	2	RM	48.16	5108.04	0.00	
07/02/85	3	RM	53.76	5102.44	0.00	
09/30/85	3	RM	54.66	5101.54	0.00	

WELL: 33582 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE DATE	QTR	ORG	WATER DEPTH FROM GRND (ft)	WATER ELEVATION	SAT THICK	REMARKS
11/02/83	4	RM	49.27	5203.23	0.00	
02/06/84	1	RM	44.52	5207.98	0.00	
04/04/84	2	RM	44.25	5208.25	0.00	
06/26/84	2	RM	49.37	5203.13	0.00	
10/08/84	4	RM	49.27	5203.23	0.00	
01/08/85	1	RM	43.10	5209.40	0.00	
04/02/85	2	RM	42.77	5209.7 3	0.00	
07/02/85	3	RM	49.97	5202.53	0.00	
09/30/85	3	RM	50.87	5201.63	0.00	

WELL: 33583 BEDROCK DEPTH: BEDROCK ELEV:

SAMPLE			WATER DEPTH	WATER	SAT	
DATE	QTR	ORG	FROM GRND (ft)	ELEVATION	THICK	REMARKS
10/08/84	4	RM	47.11	5104.59	0.00	
01/07/85	. 1	RM	41.20	5110.50	0.00	

WELL 34515

WELL INFOMATION


EAST COORDINATE: 2173674 NORTH COORDINATE: 181789

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5164.20 TOP OF SCREEN ELEVATION: 5124.20 BOTTOM OF SCREEN ELEVATION: 5114.20

TIME SPAN: Jan-81 THROUGH Sep-85

	MEAN	SAMPLE	STD DEV.	99% CONFIDENCE	MEAN
QTR	DEPTH (FT)	SIZE	DEPTH	INTERVAL DEPTH	ELEV.
				مين بينه ميه ميه هي هي ميه هي بين بينه ميه ميه ميه	
1	43.19	5	0.39	42.39 - 44.00	5121.01
2	42.28	4	1.33	38.39 - 46.17	5121.92
3	43.15	6	1.34	40.95 - 45.36	5121.05
4	43.18	3	0.15	42.29 - 44.06	5121.02
COMB	42.97	18	1.01	42.28 - 43.67	5121.23



WELL 36590

WELL INFOMATION


EAST COORDINATE: 2186908 NORTH COORDINATE: 181587

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5251.00 TOP OF SCREEN ELEVATION: 5233.00 BOTTOM OF SCREEN ELEVATION: 5223.00

TIME SPAN: Aug-80 THROUGH Jul-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
BUIL	DEFIN (FI)	3175	DEFIN		
			~ ~ ~ ~ ~ ~ ~		
1	7.73	1	ERR	ERR - ERR	5243.27
2	7.17	1	ERR	ERR - ERR	5243.83
3	7.41	2	0.65	-21.87 - 36.69	5243.59
4	7.43	1	ERR	ERR - ERR	5243.57
COMB	7.43	5	0.38	6.65 - 8.22	5243.57



WELL 36591

WELL INFOMATION


EAST COORDINATE: 2186705 NORTH COORDINATE: 181430

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5249.12 TOP OF SCREEN ELEVATION: 5231.12 BOTTOM OF SCREEN ELEVATION: 5221.12

TIME SPAN: Aug-80 THROUGH Jul-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	4.24	1	ERR	ERR - ERR	5244.88
2	3.33	1	ERR	ERR - ERR	5245.79
3	3.72	2	0.29	-9.33 - 16.78	5245.40
4	4.07	1	ERR	ERR - ERR	5245.05
COMB	3.82	5	0.38	3.03 - 4.60	5245.30



WELL 36592

WELL INFOMATION


EAST COORDINATE: 2186505 NORTH COORDINATE: 181398

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5248.63
TOP OF SCREEN ELEVATION: 5230.63
BOTTOM OF SCREEN ELEVATION: 5220.63

TIME SPAN: Aug-80 THROUGH Jul-81

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	3.44	1	ERR	ERR - ERR	5245.19
2	2.49	1	ERR	ERR - ERR	5246.14
3	2.98	2	0.25	-8.14 - 14.11	5245.65
4	3.40	1	ERR	ERR - ERR	5245.23
COMB	3.06	5	0.41	2.23 - 3.89	5245.57



WELL 36593

WELL INFOMATION

EAST COORDINATE: 2186305 NORTH COORDINATE: 181364

AQUIFER TYPE: ALL

SURFACE (MSL) ELEVATION: 5248.30 TOP OF SCREEN ELEVATION: 5230.30 BOTTOM OF SCREEN ELEVATION: 5220.30

TIME SPAN: Aug-80 THROUGH Apr-82

QTR	MEAN DEPTH (FT)	SAMPLE SIZE	STD DEV. DEPTH	99% CONFIDENCE INTERVAL DEPTH	MEAN ELEV.
1	3.52	1	ERR	ERR - ERR	5244.78
2	3.36	2	1.33	-56.47 - 63.19	5244.94
3	3.96	2	0.18	-4.32 - 12.24	5244.34
4	3.92	1	ERR	ERR - ERR	5244.38
COMB	3.68	6	0.67	2.58 - 4.78	5244.62

